

# SAFETY DATA SHEET

#### NAT TASTESENSE FL SWT 16.307KG

# **Section 1. Identification**

**GHS** product identifier NAT TASTESENSE FL SWT 16.307KG

**Product code** 20693876

Chemical name NAT TASTESENSE FL SWT Other means of identification NAT TASTESENSE FL SWT

**Product type** Liquid

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details

Kerry Inc.

3400 Millington Road Beloit, WI, 53511 USA

**USA** 

+1.608.363.1200

**Emergency telephone number** (with hours of operation)

CHEMTREC: 1-800-424-9300 (24 hours)

# Section 2. Hazards identification

**OSHA/HCS** status While this material is not considered hazardous by the OSHA Hazard

> Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 5.6 % (oral) 5.6 % (dermal) 5.6 % (inhalation)

**GHS** label elements

Signal word No signal word.

**Hazard statements** No known significant effects or critical hazards.

**Precautionary statements** 

Date of previous issue: 00.00.0000 Version: 0.0 Date of issue/Date of revision: 03.12.2021

NAT TASTESENSE FL SWT Page: 2/15

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

**Hazards not otherwise classified** : None known.

# Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

**Chemical name** : NAT TASTESENSE FL SWT **Other means of identification** : NAT TASTESENSE FL SWT

Ingredient name	%	CAS number
Ethanol	>= 3 - <= 5	64-17-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

NAT TASTESENSE FL SWT Page: 3/15

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container

Hazardous thermal decomposition products

Decomposition products may include the following materials: carbon dioxide, carbon monoxide

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

NAT TASTESENSE FL SWT Page:4/15

For emergency responders

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

NAT TASTESENSE FL SWT Page:5/15

# Section 8. Exposure controls/personal protection

#### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits	
Ethanol	OSHA PEL 1989 (1989-03-01).	
	TWA 1,900 mg/m3 1,000 ppm	
	OSHA PEL (1993-06-30).	
	TWA 1,900 mg/m3 1,000 ppm	
	NIOSH REL (1994-06-01).	
	TWA 1,900 mg/m3 1,000 ppm	
	ACGIH TLV (2008-11-24).	
	STEL 1,000 ppm	
	•	

**Appropriate engineering controls** 

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

Personal protective equipment for the body should be selected based **Body protection** on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Based on the hazard and potential for exposure, select a respirator that **Respiratory protection** 

NAT TASTESENSE FL SWT Page:6/15

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

### **Appearance**

Physical state : Liquid [Clear]

**Color** : Colorless to light yellow.

Odor : Not available.
Odor threshold : Not available.
pH : Not available.
Melting point : Not available.
Boiling point : Not available.
Flash point : 99 °C (210 °F)

**Evaporation rate** : Not available. **Flammability (solid, gas)** : Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure : Not available.
Vapor density : Not available.

**Relative density** : 1.077

Solubility : Not available.
Solubility in water : Not available.
Partition coefficient: n- : Not available.

octanol/water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Flow time (ISO 2431) : Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or

its ingredients.

**Chemical stability** : The product is stable.

NAT TASTESENSE FL SWT Page:7/15

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : No specific data.

**Incompatible materials** : No specific data.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

# **Information on toxicological effects**

**Acute toxicity** 

Product/ingredient name	Result	Species	Dose	Exposure
Ethanol				
	LD50 Oral	Rat	7,000 mg/kg	-
	LC50 Inhalation	Rat	124.7 mg/l	4 h
	Vapor			

**Conclusion/Summary** : Not available.

## **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethanol	Eyes - Moderate	Rabbit	-		-
	irritant				
	Skin - Mild irritant	Rabbit	-		-
	Skin - Moderate	Rabbit	-	24 hrs	-
	irritant				
	Eyes - Severe irritant	Rabbit	-		-
	Eyes - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Moderate	Rabbit	-	0.001 hrs	-
	irritant				

Conclusion/Summary

Skin: Not available.Eyes: Not available.Respiratory: Not available.

# **Sensitization**

Conclusion/Summary

Skin: Not available.Respiratory: Not available.

## **Mutagenicity**

**Conclusion/Summary** : Not available.

NAT TASTESENSE FL SWT Page: 8/15

## **Carcinogenicity**

**Conclusion/Summary** : Not available.

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Ethanol	-	1	-

# **Reproductive toxicity**

**Conclusion/Summary** : Not available.

**Teratogenicity** 

**Conclusion/Summary** : Not available.

#### **Specific target organ toxicity (single exposure)**

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

# **Aspiration hazard**

Not available.

Information on the likely routes of

Not available.

exposure

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

# Delayed and immediate effects and also chronic effects from short and long term exposure

# Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### Long term exposure

NAT TASTESENSE FL SWT Page: 9/15

Potential immediate effects : Not available.

Potential delayed effects : Not available.

## Potential chronic health effects

**Conclusion/Summary** : Not available.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

# Numerical measures of toxicity

#### **Acute toxicity estimates**

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
Ethanol	7,000 mg /kg	N/A	N/A	124.7 mg/l	N/A

# Section 12. Ecological information

# **Toxicity**

Product/ingredient name	Result	Species	Exposure
Ethanol			
	Acute LC50 42 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 h
	Acute EC50 2 mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Acute LC50 25.5 mg/l Marine	Crustaceans - Artemia	48 h
	water	franciscana	
	Acute EC50 17.921 mg/l Marine	Algae - Ulva pertusa	96 h
	water		
	Chronic NOEC 4.995 mg/l	Algae - Ulva pertusa	96 h
	Marine water		
	Chronic NOEC 0.375 mg/l Fresh	Fish - Gambusia holbrooki	84 d
	water		
	Chronic NOEC 100 mg/l Fresh	Daphnia - Daphnia magna	21 d
	water		

**Conclusion/Summary** : Not available.

Persistence and degradability

**Conclusion/Summary** : Not available.

NAT TASTESENSE FL SWT Page: 10/15

## **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Ethanol	-0.35	•	low

#### **Mobility in soil**

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# **Section 13. Disposal considerations**

# **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

Not classified as dangerous in the meaning of transport regulations.

Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments

Not available.

# Section 15. Regulatory information

U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Benzaldehyde, 4-hydroxy-3-methoxy-; 2,6-Octadienal, 3,7-dimethyl-, (2E)-; 2,6-Octadienal, 3,7-dimethyl-, (2Z)-; 2-Furancarboxaldehyde; 6-Octenal, 3,7-dimethyl-;

NAT TASTESENSE FL SWT Page: 11/15

United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Acetic acid; Sodium hydroxide; 2-

Furancarboxaldehyde;

Clean Air Act Section 112(b)

**Hazardous Air Pollutants (HAPs)** 

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

**Substances** 

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

**Chemicals**)

Not listed

Not listed

Not listed

Not listed

Not listed

# SARA 302/304

# **Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

**Classification** : Not applicable.

#### **Composition/information on ingredients**

No products were found.

Name	<b>%</b>	Classification
Ethanol	>= 3 - <= 5	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A

#### **State regulations**

Massachusetts : The following components are listed:

Ethanol

**New York** : None of the components are listed.

**New Jersey** : The following components are listed:

1,2-Propanediol

Ethanol

**Pennsylvania** : The following components are listed:

1,2-Propanediol

Ethanol

NAT TASTESENSE FL SWT Page: 12/15

# California Prop. 65

**WARNING:** This product can expose you to 1,6-Octadiene, 7-methyl-3-methylene-, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,6-Octadiene, 7-methyl-3-methylene-	-	-

# **International regulations**

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

## **Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

#### **Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

#### **Chemical Weapons Convention List Schedule III Chemicals**

None of the components are listed.

# **Montreal Protocol**

None of the components are listed.

# **Stockholm Convention on Persistent Organic Pollutants**

## **Annex A - Elimination - Production**

None of the components are listed.

#### **Annex A - Elimination - Use**

None of the components are listed.

## **Annex B - Restriction - Production**

None of the components are listed.

#### Annex B - Restriction - Use

None of the components are listed.

#### **Annex C - Unintentional - Production**

None of the components are listed.

## **Rotterdam Convention on Prior Informed Consent (PIC)**

# Rotterdam Convention on Prior Informed Consent (PIC) - Industrial

None of the components are listed.

## Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide

None of the components are listed.

NAT TASTESENSE FL SWT Page: 13/15

## Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide

None of the components are listed.

# **UNECE Aarhus Protocol on POPs and Heavy Metals**

#### Heavy metals - Annex 1

None of the components are listed.

#### **POPs - Annex 1 - Production**

None of the components are listed.

#### POPs - Annex 1 - Use

None of the components are listed.

#### POPs - Annex 2

None of the components are listed.

#### POPs - Annex 3

None of the components are listed.

#### **Inventory list**

AustraliaNot determined.CanadaNot determined.ChinaNot determined.EuropeNot determined.

Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : Not determined.
Philippines : Not determined.
Republic of Korea : Not determined.
Taiwan : Not determined.
Thailand : Not determined.
Turkey : Not determined.
United States : Not determined.

United States : Not determined.
Viet Nam : Not determined.

# **Section 16. Other information**

# **Hazardous Material Information System (U.S.A.)**


Health	/	0
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

NAT TASTESENSE FL SWT Page: 14/15

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

# National Fire Protection Association (U.S.A.)



#### Procedure used to derive the classification

Classification	Justification
Not classified.	

#### **History**

Date of printing: 03.12.2021Date of issue/Date of revision: 03.12.2021Date of previous issue: 00.00.0000

Version : 0.0

**Prepared by** : SARRAZIN

**Key to abbreviations**: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

N/A = Not available SGG = Segregation Group UN = United Nations

**References** : Not available.

# Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.